# Reviewing IMR-Informed Practice - Clinician dialogue

Guide a collaborative conversation about reviewing imr-informed practice while checking fit and participant choice.

Mental health professionals | 15 minutes

Fictional example: Casey's action plan worked once and needs a new transport option.

### Invite and obtain permission

Offer: "Would it be useful to explore reviewing imr-informed practice using an ordinary or fictional example? We can adapt it, observe, or stop." Ask what the person wants from the conversation.

### Elicit before teaching

Ask: "How does this show up, if at all, in your own words?" Offer this idea tentatively: Review supports learning and adaptation rather than scoring recovery. Ask what fits and what does not.

### Guide the task

Summarize one skill attempted, what happened, current needs, and a question for the next collaborative session. Ask for permission before giving an example. Use this fictional illustration if useful: Casey's action plan worked once and needs a new transport option.

### Reflect and check accuracy

Reflect only what was offered: "I heard you describe ___. What did I miss?" Ask: What adjustment keeps the personal goal in view? Avoid assigning motives or interpreting silence as agreement.

### Respond to a mismatch

If the person rejects the frame, say: "Thank you for correcting it. What would be more useful?" Return to their language or choose a different approach.

### Close with agency

Ask which observation, question, or support request the person wants to keep. Confirm a manageable ending and appropriate follow-up; do not turn a tentative possibility into a homework obligation.

### Reflection

What would tell me to adapt, stop, or seek supervision?

### Scope and adaptation

Original IMR-informed companion exercises, not the official IMR manual, fidelity assessment, or complete IMR program. Use collaborative clinical assessment and existing care plans. Do not change medication independently, challenge distressing beliefs through confrontation, or use worksheets to determine urgency. Increased or concerning symptoms need appropriate clinical assessment.

Original AI-assisted educational draft; independent clinical review pending. Version 1.0. Background: Illness Management and Recovery Evidence-Based Practices KIT. Full source links and scope: library.morethantherapy.org/recovery/resources/IMR-A20-3